

AUTO LEAK TESTER

TL - XXXP series (PLC)



Real Time Data Display



Measurement Program



Stainless Steel #304



PLC Touch Screen



One Button Control



Data Memory

Model	Ultimate Vacuum	Flow Rate	Acrylic Tank	Unit
TL-600P	600 mmHg	16 l/min	S,M	mmHg, inhg, kPa, kgf, Psi, bar
TL-650P	650 mmHg	30 l/min	S,M,L	
TL-700P	700 mmHg	50 l/min	S,M,L	

*Note : 1 mmHg = 0.0393 inhg = 0.0013 bar = 0.1333 kpa = 0.0193 psi

ACRYLIC TANK for LEAK TESTER

Size S - M - L



Water Drain Valve



Safety Slide Cover and Soaking Plate



Clear Acrylic



2.5 mm, Thickness



Bending Edge (Jointless)



Water Valve

Model	Internal (cm)	External (cm)	Thickness (cm)	Weight
S	25x25x25	30x30x35	2.5	12.5
M	40x40x25	45x45x35	2.5	25
L	54x54x25	60x60x35	2.5	45

* Custom-size is Available *

LEAK TEST COMPARING PLC - TL - TLM (AUTO - MANUAL)



Compare	AUTO (PLC)	AUTO (TL)	MANUAL (TLM)
Controller	Touch Screen	Push Start, Auto Stop	Mechanic Valve
Vacuum Gauge	Digital Gauge	Digital Gauge	Dial Gauge
Vacuum Unit	mmHg/inHg/kPa/kgf/psi /bar	mmHg/inHg/kPa/kgf/psi /bar	mmHg/bar
Timer	Digital	Digital	-
Vacuum Release	Auto	Auto	Mechainic Valve
Drain Valve	Yes	Yes	Yes
Leak Detector	Eye inspection	Eye Inspection	Eye Inspection
Data Memory	Yes	-	-
Measurement Program	Yes	-	-

